Journal of

POLYMER SCIENCE

VOLUME XV • 1955

Editorial Board:

W. T. ASTBURY • P. M. DOTY • R. M. FUOSS • J. J. HERMANS • H. MARK

Advisory Board:

T. ALFREY, JR. *Midland, Mich.*
W. O. BAKER *New York, N. Y.*
P. D. BARTLETT *Cambridge, Mass.*
C. W. BUNN *Welwyn Garden City*
S. CLAESSON *Uppsala*
P. DEBYE *Ithaca, N. Y.*
V. DESREUX *Liége*
P. J. FLORY *Ithaca, N. Y.*
K. FREUDENBERG *Heidelberg*
G. GEE *Welwyn Garden City*
P. H. HERMANS *Utrecht*
R. HOUWINK *Delft*
M. L. HUGGINS *Rochester, N. Y.*
I. M. KOLTHOFF *Minneapolis, Minn.*
O. KRATKY *Graz*
W. KUHN *Basel*
M. MAGAT *Paris*
C. S. MARVEL *Urbana, Ill.*
H. W. MELVILLE *Birmingham*
G. NATTA *Milan*
C. C. PRICE *Notre Dame, Ind.*
E. K. RIDEAL *London*
CH. SADRON *Strasbourg*
G. V. SCHULZ *Mainz*
R. SIGNER *Berne*
G. SMETS *Louvain*
H. M. SPURLIN *Wilmington, Del.*
W. H. STOCKMAYER *Cambridge, Mass.*
A. V. TOBOLSKY *Princeton, N. J.*
C. WALLING *New York, N. Y.*
G. S. WHITBY *Akron, Ohio*
B. H. ZIMM *Schenectady, N. Y.*

INTERSCIENCE PUBLISHERS, INC.

Copyright, 1955 by Interscience Publishers, Inc.

CONTENTS

Vol. XV, Issue Nos. 79–80, 1955

Journal of Polymer Science

ISSUE NO. 79, JANUARY

BUCHDAHL, ROLF, and NIELSEN, LAWRENCE E.: Multiple Dispersion Regions in Rigid Polymeric Systems 1

AUSPOS, L. A., HALL, LUTHER A. R., HUBBARD, JAMES, K., KIRK, JR., WM., SCHAEFGEN, JOHN R., and SPECK, STANLEY B.: Aromatic Polyhydrocarbons. I. Monomer Reactions and Polymer Preparation 9

AUSPOS, L. A., BURNAM, C. W., HALL, LUTHER A. R., HUBBARD, JAMES K., KIRK, JR., WM., SCHAEFGEN, JOHN R., and SPECK, STANLEY B.: Aromatic Polyhydrocarbons. II. Chemical and Physical Properties of Polymers 19

KELLER, A.: Unusual Orientation Phenomena in Polyethylene Interpreted in Terms of the Morphology 31

FIELD, J. E., WOODFORD, D. E., and GEHMAN, S. D.: Infrared Study of Oxidation of Elastomers 51

KATCHALSKY, A., and MICHAELI, I.: Polyelectrolyte Gels in Salt Solutions 69

POLLOCK, D. J., ELYASH, L. J., AND DEWITT, T. W.: A Molecular Weight-Intrinsic Viscosity Study of Several Diene Polymers 87

BUECHE, A. M.: Interaction of Polydimethylsiloxanes with Swelling Agents 97

BUECHE, A. M.: The Curing of Silicone Rubber with Benzoyl Peroxide 105

BELLEMANS, A., and COLIN-NAAR, C.: Application of the Cell Model to the Statistical Thermodynamics of *r*-Mers Solutions. II 121

KELLER, A., and SANDEMAN, I.: Investigation of Unusual Orientation in Polyethylene by Infrared Spectroscopy 133

HARRIS, FRANK E., and RICE, STUART A.: The Random Chain Model for Polyelectrolytes 151

WALL, L. A., BROWN, D. W., and HART, V. E.: Pyrolysis of α- and β-Deuterostyrene Polymers 157

MORTON, MAURICE, CALA, J. A., and PIRMA, IRJA: Crosslinking in Isoprene Polymerization 167

KERN, R. J., and SLOCOMBE, R. J.: Phase Separation in Solutions of Vinyl Polymers 183

FURUKAWA, JUNJI: A Kinetic Interpretation of the Rheological Behavior of High Polymers 193

SCHAEFGEN, JOHN R.: The Pyrolysis of *p*-Xylene 203

CONIX, ANDRE, and SMETS, G.: Ring Opening in Lactam Polymers 221

SHULTZ, A. R., and FLORY, P. J.: Polymer Chain Dimensions in Mixed-Solvent Media 231

MYLES, WILLIAM J., and REISS, HOWARD: Sorption of Nitrogen Dioxide by Cellulose Acetate 243

CHARLESBY, A.: The Degradation of Cellulose by Ionizing Radiation. 263
IMOTO, MINORU, and TAKEMOTO, KIICHI: Vinyl Polymerization. III. Polymerization of Acenaphthylene. 271
FUJITA, HIROSHI, and HOMMA, TERUTAKE: Non-Newtonian Viscosities in Dilute Aqueous Solutions of Sodium Carboxymethylcellulose. 277
MAJURY, T. G.: Polymerization of Methyl Methacrylate by Pulses of High-Energy Electrons. 297
MOORE, W. R.: Absorption and Swelling by Nitrocellulose Fibers and Films in Binary Solvent–Hexane Mixtures. 305

ISSUE NO. 80, FEBRUARY

KEDEM, O., and KATCHALSKY, A.: Diffusion of Polyelectrolytes in Salt-Free Solutions. 321
POLLOCK, D. J., ELYASH, L. J., and DEWITT, T. W.: Branching in Polybutadiene. 335
LOEB, LEOPOLD, and SEGAL, LEON: Studies of the Ethylenediamine-Cellulose Complex. I. Decomposition of the Complex by Solvents. 343
PRICE, FRASER P., and BIANCHI, JOSEPH P.: Structure of Polysiloxanes: Influence of Solvent on Size and Polymer-Solvent Interaction of Linear Polydimethylsiloxanes. 355
THOMAS, BERWYN B., and ALEXANDER, W. J.: Ultrasonic Degradation of Cellulose Nitrate. Relation Between Initial and Final Average and Distribution of DP. 361
FOX, T. G, and LOSHAEK, S.: Influence of Molecular Weight and Degree of Crosslinking on the Specific Volume and Glass Temperature of Polymers. 371
LOSHAEK, S.: Crosslinked Polymers. II. Glass Temperatures of Copolymers of Methyl Methacrylate and Glycol Dimethacrylates 391
HOFFMAN, JOHN D., and ZIMM, BRUNO H.: Rate of Thermal Diffusion of Polymer Molecules in Solution. 405
LONG, F. A., and THOMPSON, L. J.: Diffusion of Water Vapor in Polymers. 413
HAAS, HOWARD C., COHEN, SAUL G., OGLESBY, ALBERT C., and KARLIN, ESTELLE R.: Hydroxyethyl Nylon, a New Flexible Superpolyamide Derivative. 427
PARRETTE, RICHARD L.: Isopiestic Method for Determining Molecular Weights of Polymers. 447
KOLTHOFF, I. M., O'CONNOR, P. R., and HANSEN, J. L.: Mechanism of Emulsion Polymerization of Styrene with Persulfate as Activator in the Absence and Presence of Mercaptan and a Retarder. 459
POLYMER NEWS. 474
IMOTO, MINORU, OTSU, TAKAYUKI, and KIMURA, KO: Vinyl Polymerization. IV. Influence of Dimethylaniline on Solution Polymerization of Vinyl Chloride Catalyzed by Benzoyl Peroxide. 475
IMOTO, MINORU, and CHOE, SEUCKON: Vinyl Polymerization. V. Decomposition of *sym*-Substituted Benzoyl Peroxides in the Presence of Dimethylaniline. 485
Book Review: The Physical Chemistry of Dyeing, Second Edition, by Thomas Vickerstaff. Reviewed by Milton Harris. 502

HAAS, HOWARD C., LIVINGSTON, DANIEL I., and SAUNDERS, MARTIN: Polybenzyl Type Polymers 503
CODDING, D. W., REID, T. S., AHLBRECHT, A. H., SMITH, JR., G. H., and HUSTED, D. R.: Fluorine-Containing Polymers. II. 1,1-Dihydroperfluoroalkyl Acrylates: Preparation of Monomers 515
BOVEY, F. A., ABERE, J. F., RATHMANN, G. B., and SANDBERG, C. L.: Fluorine-Containing Polymers. III. Polymers and Copolymers of 1,1-Dihydroperfluoroalkyl Acrylates 520
BOVEY, F. A., and ABERE, J. F.: Fluorine-Containing Polymers. IV. Polymers of Acrylates of Fluorine-Containing Ether Alcohols 537
RATHMANN, G. B., and BOVEY, F. A.: Fluorine-Containing Polymers. V. Light Scattering and Viscosity Study of Poly-1,1-Dihydroperfluorobutyl Acrylate 544
SANDBERG, C. L., and BOVEY, F. A.: Fluorine-Containing Polymers. VI. Copolymerization of 1,1-Dihydroperfluorobutyl Acrylate ... 553
STEDRY, P. J., ABERE, J. F., and BORDERS, A. M.: Fluorine-Containing Polymers. VII. 1,1-Dihydroperfluoroalkyl Acrylates: Compounding and Properties of Vulcanizates 558
TERAYAMA, HIROSHI: Viscosities of Aqueous Solutions of Potassium Cellulose Sulfate in the Presence of Other Electrolytes 575
BERR, C. E.: Isolation of a Cyclic Dimer during Synthesis of Polyethylene Isophthalate (Letter to the Editors) 591
BURNETT, J. D., MILLER, R. G. J., and WILLIS, H. A.: Hydroperoxides in Oxidized Polythene (Letter to the Editors) 592
FUENO, TAKAYUKI, ISURUTA, TEIJI, and FURUKAWA, JUNJI: Quaternary Anilinium Salt as an Initiator for Vinyl Polymerization (Letter to the Editors) 594
STOCKMAYER, W. H.: Chain Dimensions Near the Flory Temperature (Letter to the Editors) 595

AUTHOR INDEX, VOLUME XV

Abere, J. F.: see Bovey, F. A.; Stedry, P. J.

Ahlbrecht, A. H.: see Codding, D. W.

Alexander, W. J.: see Thomas, Berwyn B.

Auspos, L. A., Burnam, C. W., Hall, Luther A. R., Hubbard, James K., Kirk, Jr., Wm., Schaefgen, John R., and Speck, Stanley B.: Aromatic polyhydrocarbons. II. Chemical and physical properties of polymers, 19

——, Hall, Luther A. R., Hubbard, James K., Kirk, Jr., Wm., Schaefgen, John R., and Speck, Stanley B.: Aromatic polyhydrocarbons. I. Monomer reactions and polymer preparation, 9

Bellemans, A., and Colin-Naar, C.: Application of the cell model to the statistical thermodynamics of *r*-mers solutions. II, 121

Berr, C. E.: Isolation of a cyclic dimer during synthesis of polyethylene isophthalate, 591

Bianchi, Joseph P.: see Price, Fraser P.

Borders, A. M.: see Stedry, P. J.

Bovey, F. A., and Abere, J. F.: Fluorine-containing polymers. IV. Polymers of acrylates of fluorine-containing ether alcohols, 537

——, ——, Rathmann, G. B., and Sandberg, C. L.: Fluorine-containing polymers. III. Polymers and copolymers of 1,1-dihydroperfluoroalkyl acrylates, 520

——: see Rathmann, G. B.; Sandberg, C. L.

Brown, D. W.: see Wall, L. A.

Buchdahl, Rolf, and Nielsen, Lawrence E.: Multiple dispersion regions in rigid polymeric systems, 1

Bueche, A. M.: Interaction of polydimethylsiloxanes with swelling agents, 97

——: The curing of silicone rubber with benzoyl peroxide, 105

Burnam, C. W.: see Auspos, L. A.

Burnett, J. D., Miller, R. G. J., and Willis, H. A.: Hydroperoxides in oxidized polythene, 592

Cala, J. A.: see Morton, Maurice

Charlesby, A.: The degradation of cellulose by ionizing radiation, 263

Choe, Seuckon: see Imoto, Minoru

Codding, D. W., Reid, T. S., Ahlbrecht, A. H., Smith, Jr., G. H., and Husted, D. R.: Fluorine-containing polymers. II. 1,1-Dihydroperfluoroalkyl acrylates: Preparation on monomers, 515

Cohen, Saul G.: see Haas, Howard C.

Colin-Naar, C.: see Bellemans, A.

Conix, André, and Smets, G.: Ring opening in lactam polymers, 221

DeWitt, T. W.: see Pollock, D. J.

Elyash, L. J.: see Pollock, D. J.

Field, J. E., Woodford, D. E., and Gehman, S. D.: Infrared study of oxidation of elastomers, 51

Flory, P. J.: see Shultz, A. R.

Fox, T. G, and Loshaek, S.: Influence of molecular weight and degree of crosslinking on the specific volume and glass temperature of polymers, 371

Fueno, Takayuki, Tsuruta, Teiji, and Furukawa, Junji: Quaternary anilinium salt as an initiator for vinyl polymerization, 594

Fujita, Hiroshi, and Homma, Terutake: Non-Newtonian viscosities in dilute aqueous solutions of sodium carboxymethylcellulose, 277

Furukawa, Junji: A kinetic interpretation of the rheological behavior of high polymers, 193

——: see Fueno, Takayuki

Gehman, S. D.: see Field, J. E.

Haas, Howard C., Cohen, Saul G., Oglesby, Albert C., and Karlin, Estelle R.: Hydroxyethyl nylon, a new flexible superpolyamide derivative, 427

——, Livingston, Daniel I., and Saunders, Martin: Polybenzyl type polymers, 503

Hall, Luther A. R.: see Auspos, L. A.

Hansen, J. L.: see Kolthoff, I. M.

Harris, Frank E., and Rice, Stuart A.: The random chain model for polyelectrolytes, 151

Hart, V. E.: see Wall, L. A.

Hoffman, John D., and Zimm, Bruno H.: Rate of thermal diffusion of polymer molecules in solution, 405

Homma, Terutake: see Fujita, Hiroshi

Hubbard, James K.: see Auspos, L. A.

Husted, D. R.: see Codding, D. W.

Imoto, Minoru, and Choe, Seuckon: Vinyl polymerization. V. Decomposition of *sym*-substituted benzoyl peroxides in the presence of dimethylaniline, 485

——, Otsu, Takayuki, and Kimura, Ko: Vinyl polymerization. IV. Influence of dimethylaniline on solution polymerization of vinyl chloride catalyzed by benzoyl peroxide, 475

——, and Takemoto, Kiichi: Vinyl polymerization. III. Polymerization of acenaphthylene, 271
Karlin, Estelle R.: see Haas, Howard C.
Katchalsky, A., and Michaeli, I.: Polyelectrolyte gels in salt solutions, 69
——: see Kedem, O.
Kedem, O., and Katchalsky, A.: Diffusion of polyelectrolytes in salt-free solutions, 321
Keller, A.: Unusual orientation phenomena in polyethylene interpreted in terms of the morphology, 31
——, and Sandeman, I.: Investigation of unusual orientation in polyethylene by infrared spectroscopy, 133
Kern, R. J., and Slocombe, R. J.: Phase separation in solutions of vinyl polymers, 183
Kimura, Ko: see Imoto, Minoru
Kirk, Jr., Wm.: see Auspos, L. A.
Kolthoff, I. M., O'Connor, P. R., and Hansen, J. L.: Mechanism of emulsion polymerization of styrene with persulfate as activator in the absence and presence of mercaptan and a retarder, 459
Livingston, Daniel I.: see Haas, Howard C.
Loeb, Leopold, and Segal, Leon: Studies of the ethylenediamine-cellulose complex. I. Decomposition of the complex by solvents, 343
Long, F. A., and Thompson, L. J.: Diffusion of water vapor in polymers, 113
Loshaek, S.: Crosslinked polymers. II. Glass temperatures of copolymers of methyl methacrylate and glycol dimethacrylates, 391
——: see Fox, T. G
Majury, T. G.: Polymerization of methyl methacrylate by pulses of high-energy electrons, 297
Michaeli, I.: see Katchalsky, A.
Miller, R. G. J.: see Burnett, J. D.
Moore, W. R.: Absorption and swelling by nitrocellulose fibers and films in binary solvent-hexane mixtures, 305
Morton, Maurice, Cala, J. A., and Piirma, Irja: Crosslinking in isoprene polymerization, 167
Myles, William J., and Reiss, Howard: Sorption of nitrogen dioxide by cellulose acetate, 243
Nielsen, Lawrence E.: see Buchdahl, Rolf
O'Connor, P. R.: see Kolthoff, I. M.
Oglesby, Albert C.: see Haas, Howard C.
Otsu, Takayuki: see Imoto, Minoru
Parrette, Richard L.: Isopiestic method for determining molecular weights of polymers, 447
Piirma, Irja: see Morton, Maurice
Pollock, D. J., Elyash, L. J., and DeWitt, T. W.: A molecular weight-intrinsic viscosity study of several diene polymers, 87
——, ——, and ——: Branching in polybutadiene, 335
Price, Fraser P., and Bianchi, Joseph P.: Structure of polysiloxanes: Influence of solvent on size and polymer-solvent interaction of linear polydimethylsiloxanes, 355
Rathmann, G. B., and Bovey, F. A.: Fluorine-containing polymers. V. Light scattering and viscosity study of poly-1,1-dihydroperfluorobutyl acrylate, 544
——: see Bovey, F. A.
Reid, T. S.: see Codding, D. W.
Reiss, Howard: see Myles, William J.
Rice, Stuart A.: see Harris, Frank E.
Sandberg, C. L., and Bovey, F. A.: Fluorine-containing polymers. VI. Copolymerization of 1,1-dihydroperfluorobutyl acrylate, 553
——: see Bovey, F. A.
Sandeman, I.: see Keller, A.
Saunders, Martin: see Haas, Howard C.
Schaefgen, John R.: The pyrolysis of *p*-xylene, 203
——: see Auspos, L. A.
Segal, Leon: see Loeb, Leopold
Shultz, A. R., and Flory, P. J.: Polymer chain dimensions in mixed-solvent media, 231
Slocombe, R. J.: see Kern, R. J.
Smets, G.: see Conix, André
Smith, Jr., G. H.: see Codding, D. W.
Speck, Stanley B.: see Auspos, L. A.
Stedry, P. J., Abere, J. F., and Borders, A. M.: Fluorine-containing polymers. VII. 1,1-dihydroperfluoroalkyl acrylates: Compounding and properties of vulcanizates, 558
Stockmayer, W. H.: Chain dimensions near the Flory temperature, 595
Takemoto, Kiichi: see Imoto, Minoru
Terayama, Hiroshi: Viscosities of aqueous solutions of potassium cellulose sulfate in the presence of other electrolytes, 575
Thomas, Berwyn B., and Alexander, W. J.: Ultrasonic degradation of cellulose nitrate. Relation between initial and final average and distribution of DP, 361
Thompson, L. J.: see Long, F. A.
Tsuruta, Teiji: see Fueno, Takayuki
Wall, L. A., Brown, D. W., and Hart, V. E.: Pyrolysis of α- and β-deuterostyrene polymers, 157
Willis, H. A.: see Burnett, J. D.
Woodford, D. E.: see Field, J. E.
Zimm, Bruno H.: see Hoffman, John D.

SUBJECT INDEX, VOLUME XV

Acenaphthylene, polymerization, 271
Anilinium salts, quaternary, as initiator for vinyl polymerization, 594

Benzoyl peroxide, for curing of silicone rubber, 105
sym-substituted, decomposition, 485

Cellulose, degradation by ionizing radiation, 263
Cellulose-ethylenediamine complex, decomposition by solvents, 343
Cellulose acetate, sorption of nitrogen dioxide by, 243
Cellulose nitrate, ultrasonic degradation, 361
Chain dimensions near the Flory temperature, 595
Crosslinked polymers, 391
Crosslinking, influence on specific volume and glass temperature, 371
in isoprene polymerization, 167

Degradation, of cellulose by ionizing radiation, 263
ultrasonic, of cellulose nitrate, 361
α- and β-Deuterostyrene polymers, pyrolysis, 157
Diene polymers, molecular weight-intrinsic viscosity study, 87
Diffusion, thermal, rate of polymer molecules in solution, 405
of water vapor in polymers, 413
1,1-Dihydroperfluoroalkyl acrylates, 515, 520, 544, 553, 558
Dimethylaniline, influence on decomposition of *sym*-substituted benzoyl peroxides, 485
influence on solution polymerization of vinyl chloride, 475

Elastomers, infrared study of oxidation, 51
Emulsion polymerization, of styrene, 459
Ethylenediamine-cellulose complex, decomposition by solvents, 343

Fluorine-containing polymers, 515,520, 537, 544, 553, 558

Glass temperature, copolymers of methyl methacrylate and glycol dimethacrylates, 391
influence of molecular weight and crosslinking on, 371
Glycol dimethacrylates-methyl methacrylate, glass temperatures, 391

Hydroperoxides in oxidized polythene, 592
Hydroxyethyl nylon, 427

Infrared spectroscopy, for investigation of unusual orientation of polyethylene, 133
Infrared study of oxidation of elastomers, 51
Intrinsic viscosity-molecular weight study, diene polymers, 87
Isopiestic method, for molecular weight determination, 447
Isoprene polymerization, crosslinking, 167

Kinetic interpretation of the rheological behavior of high polymers, 193

Lactam polymers, ring opening, 221

r-Mers solutions, statistical thermodynamics, 121
Methyl methacrylate, polymerization by pulses of high-energy electrons, 297
-glycol dimethacrylates, glass temperatures, 391
Molecular weight, influence on specific volume and glass temperature, 371
Molecular weight determination, isopiestic method, 447
Molecular weight-intrinsic viscosity study, diene polymers, 87
Morphology, for interpretation of unusual orientation phenomena in polyethylene, 31

Nitrocellulose fibers and films, absorption and swelling in binary solvent-hexane mixtures, 305

Phase separation, in solutions of vinyl polymers, 183
Polybenzyl type polymers, 503
Polybutadiene, branching in, 335
Polydimethylsiloxanes, interaction with swelling agents, 97
linear, influence of solvent on size and polymer-solvent interaction, 355
Polyelectrolyte gels in salt solutions, 69
Polyelectrolytes, diffusion in salt-free solutions, 321
random chain model, 151
Polyethylene, investigation of unusual orientation by infrared spectroscopy, 133
unusual orientation phenomena, 31
Polyethylene isophthalate, isolation of a cyclic dimer during synthesis, 591

Polyhydrocarbons, aromatic, chemical and physical properties of polymers, 19
monomer reactions and polymer preparations, 9
Polymer chain dimensions in mixed-solvent media, 231
Polymeric systems, rigid, multiple dispersion regions in, 1
Polysiloxanes, structure, 355
Polythene, oxidized, in hydroperoxides, 592
Potassium cellulose sulfate, viscosities of aqueous solutions, 575
Pyrolysis, of α- and β-deuterostyrene polymers, 157
of *p*-xylene, 203

Radiation, ionizing, and degradation of cellulose, 263
Review
The Physical Chemistry of Dyeing, 2nd ed., Thomas Vickerstaff, 502
Rheological behavior of high polymers, kinetic interpretation, 193
Rubber, silicone, curing with benzoyl peroxide, 105

Silicone rubber, curing with benzoyl peroxide, 105
Sodium carboxymethylcellulose, non-Newtonian viscosities in dilute aqueous solutions of, 277
Solution polymerization, vinyl chloride, 475
Styrene, emulsion polymerization, 459

Thermodynamics, statistical, of *r*-mers solutions, 121

Vinyl chloride, solution polymerization, 475
Vinyl polymerization, 271, 475, 485
quaternary anilinium salt as initiator for, 594
Vinyl polymers, phase separation in solutions of, 183
Viscosities, of aqueous solutions of potassium cellulose sulfate, 575
non-Newtonian, in dilute aqueous solutions of sodium carboxymethylcellulose, 277

Water vapor, diffusion in polymers, 413

p-Xylene, pyrolysis, 203